

DWR Fmax (許容たわみ量) = L×60%

■数量別価格値引率 (1円未満切捨て)

数量	1~9	10~19	20~99	100~500
値引率	表示価格	5%	10%	15%

外径 D	自由長 L	線径 d	密着長 mm(約)	F max	荷重 N(kgf)	code No.	単価 1~9個	外径 D	自由長 L	線径 d	密着長 mm(約)	F max	荷重 N(kgf)	code No.	単価 1~9個	外径 D	自由長 L	線径 d	密着長 mm(約)	F max	荷重 N(kgf)	code No.	単価 1~9個							
3	5	0.23	1.8	3	0.9 (0.09)	DWR 3-5	54	10	10	0.25	2.5	6	1.8 (0.18)	10	81	16	55	1.00	13.0	33	9.7 (0.99)	DWR 16-55	117	90						
	15	0.30	5.4	9	2.6 (0.27)	15			20	65	1.10	20.0	39	11.5 (1.17)			65													
	20	0.30	5.4	12	3.5 (0.36)	20			25	70	1.10	20.0	42	12.4 (1.26)			70													
	25	0.32	7.4	15	4.4 (0.45)	25			30	80	1.10	20.0	48	14.1 (1.44)			80													
	30	0.32	8.3	18	5.3 (0.54)	30	59		35	0.35	11.7	21	6.2 (0.63)	35			40	1.20	28.8	54	15.9 (1.62)	40	20		1.00	7.0	12	5.9 (0.60)	DWR 18-20	126
	35	0.35	11.7	21	6.2 (0.63)	35			25	1.00	7.0	15	7.4 (0.75)	25			30	1.10	9.9	18	8.8 (0.90)	30	35		1.10	9.9	21	10.3 (1.05)	35	
	40	0.35	13.5	24	7.1 (0.72)	40			60	1.20	14.4	24	11.8 (1.20)	60			40	1.20	14.4	27	13.2 (1.35)	40	45		1.20	14.4	30	14.7 (1.50)	45	
	45	0.45	16.0	27	7.9 (0.81)	45			50	1.20	14.4	30	14.7 (1.50)	50			55	1.30	19.5	33	16.2 (1.65)	55	60		1.30	19.5	36	17.7 (1.80)	60	
4	5	0.26	1.6	3	0.9 (0.09)	DWR 4-5	59	10	10	0.29	2.2	6	1.8 (0.18)	10	84	18	65	1.30	19.5	39	19.1 (1.95)	65	135	80						
	15	0.32	3.2	9	2.6 (0.27)	15			20	65	1.30	19.5	42	20.6 (2.10)			70													
	20	0.35	4.9	12	3.5 (0.36)	20			25	70	1.30	19.5	48	23.5 (2.40)			80													
	25	0.40	8.4	15	4.4 (0.45)	25			30	80	1.40	27.3	48	23.5 (2.40)			80													
	30	0.40	9.0	18	5.3 (0.54)	30	63		35	0.40	9.0	21	6.2 (0.63)	35			40	1.00	6.0	12	5.9 (0.60)	DWR 20-20	131		89					
	35	0.40	9.0	21	6.2 (0.63)	35			25	1.10	8.3	15	7.4 (0.75)	25			30	1.10	8.3	18	8.8 (0.90)	30								
	40	0.45	16.0	24	7.1 (0.72)	40			35	1.10	8.3	21	10.3 (1.05)	35			40	1.20	10.8	24	11.8 (1.20)	40								
	45	0.45	16.0	30	8.8 (0.90)	45			40	1.20	10.8	27	13.2 (1.35)	40			45	1.20	10.8	27	13.2 (1.35)	45								
	50	0.45	16.0	30	8.8 (0.90)	50	63		45	0.45	16.0	33	9.7 (0.99)	55			50	1.30	15.0	30	14.7 (1.50)	50	55			1.30	15.0	33	16.2 (1.65)	55
	55	0.45	16.6	33	9.7 (0.99)	55			60	1.30	15.0	36	17.7 (1.80)	60			65	1.30	15.0	39	19.1 (1.95)	65								
	60	0.50	23.5	36	10.6 (1.08)	60			70	1.40	21.0	42	20.6 (2.10)	70			75	1.40	21.0	48	23.5 (2.40)	75								
	65	0.50	25.0	39	11.5 (1.17)	65			80	1.40	21.0	48	23.5 (2.40)	80			80	1.40	21.0	48	23.5 (2.40)	80								
70	0.50	25.0	42	12.4 (1.26)	70	63	10	0.60	3.6	6	1.8 (0.18)	DWR 12-10	84	20	15	0.65	4.6	9	2.6 (0.27)	15	20	0.70	6.0	18		5.3 (0.54)	20			
75	0.55	23.5	36	10.6 (1.08)	75		25	0.70	6.0	15	4.4 (0.45)	25			30	0.70	6.0	18	5.3 (0.54)	30										
80	0.55	23.5	39	11.5 (1.17)	80		35	0.70	6.0	21	6.2 (0.63)	35			40	0.80	10.4	24	7.1 (0.72)	40										
85	0.55	23.5	39	11.5 (1.17)	85		45	0.80	10.4	27	7.9 (0.81)	45			50	0.80	10.4	27	7.9 (0.81)	50										
90	0.55	23.5	39	11.5 (1.17)	90	62	50	0.90	17.1	30	8.8 (0.90)	50	55		0.90	17.1	33	9.7 (0.99)	55	60	0.90	17.1	36	10.6 (1.08)	60					
95	0.55	23.5	39	11.5 (1.17)	95		60	0.90	17.1	39	11.5 (1.17)	60	65		0.90	17.1	39	11.5 (1.17)	65											
100	0.55	23.5	39	11.5 (1.17)	100		70	0.90	17.1	42	12.4 (1.26)	70	75		0.90	17.1	42	12.4 (1.26)	75											
105	0.55	23.5	39	11.5 (1.17)	105		80	1.00	28.0	48	14.1 (1.44)	80	10		0.60	3.6	6	1.8 (0.18)	DWR 13-10	86										
110	0.55	23.5	39	11.5 (1.17)	110	15	0.70	4.9	9	2.6 (0.27)	15	20	0.70		4.9	12	3.5 (0.36)	20												
115	0.55	23.5	39	11.5 (1.17)	115	25	0.80	8.4	15	4.4 (0.45)	25	30	0.80		8.4	18	5.3 (0.54)	30												
120	0.55	23.5	39	11.5 (1.17)	120	35	0.80	8.4	21	6.2 (0.63)	35	40	0.90		13.5	24	7.1 (0.72)	40												
125	0.55	23.5	39	11.5 (1.17)	125	68	40	0.90	13.5	27	7.9 (0.81)	40	45		0.90	13.5	27	7.9 (0.81)	45	50	0.90	13.5	30	8.8 (0.90)	50					
130	0.55	23.5	39	11.5 (1.17)	130		55	0.90	13.5	33	9.7 (0.99)	55	60	1.00	22.0	36	10.6 (1.08)	60												
135	0.55	23.5	39	11.5 (1.17)	135		60	1.00	22.0	39	11.5 (1.17)	60	65	1.00	22.0	39	11.5 (1.17)	65												
140	0.55	23.5	39	11.5 (1.17)	140		70	1.00	22.0	42	12.4 (1.26)	70	80	1.00	22.0	48	14.1 (1.44)	80												
145	0.55	23.5	39	11.5 (1.17)	145	68	90	1.00	22.0	48	14.1 (1.44)	90	10	0.60	3.6	6	1.8 (0.18)	DWR 13-10	86											
150	0.55	23.5	39	11.5 (1.17)	150		15	0.70	4.9	9	2.6 (0.27)	15	20	0.70	4.9	12	3.5 (0.36)	20												
155	0.55	23.5	39	11.5 (1.17)	155		25	0.80	8.4	15	4.4 (0.45)	25	30	0.80	8.4	18	5.3 (0.54)	30												
160	0.55	23.5	39	11.5 (1.17)	160		35	0.80	8.4	21	6.2 (0.63)	35	40	0.90	13.5	24	7.1 (0.72)	40												
165	0.55	23.5	39	11.5 (1.17)	165	68	40	0.90	13.5	27	7.9 (0.81)	40	45	0.90	13.5	27	7.9 (0.81)	45	50	0.90	13.5	30	8.8 (0.90)	50						
170	0.55	23.5	39	11.5 (1.17)	170		55	0.90	13.5	33	9.7 (0.99)	55	60	1.00	22.0	36	10.6 (1.08)	60												
175	0.55	23.5	39	11.5 (1.17)	175		60	1.00	22.0	39	11.5 (1.17)	60	65	1.00	22.0	39	11.5 (1.17)	65												
180	0.55	23.5	39	11.5 (1.17)	180		70	1.00	22.0	42	12.4 (1.26)	70	80	1.00	22.0	48	14.1 (1.44)	80												
185	0.55	23.5	39	11.5 (1.17)	185	68	90	1.00	22.0	48	14.1 (1.44)	90	10	0.60	3.6	6	1.8 (0.18)	DWR 13-10	86											
190	0.55	23.5	39	11.5 (1.17)	190		15	0.70	4.9	9	2.6 (0.27)	15	20	0.70	4.9	12	3.5 (0.36)	20												
195	0.55	23.5	39	11.5 (1.17)	195		25	0.80	8.4	15	4.4 (0.45)	25	30	0.80	8.4	18	5.3 (0.54)	30												
200	0.55	23.5	39	11.5 (1.17)	200		35	0.80	8.4	21	6.2 (0.63)	35	40	0.90	13.5	24	7.1 (0.72)	40												
205	0.55	23.5	39	11.5 (1.17)	205	68	40	0.90	13.5	27	7.9 (0.81)	40	45	0.90	13.5	27	7.9 (0.81)	45	50	0.90	13.5	30	8.8 (0.90)	50						
210	0.55	23.5	39	11.5 (1.17)	210		55	0.90	13.5	33	9.7 (0.99)	55	60	1.00	22.0	36	10.6 (1.08)	60												
215	0.55	23.5	39	11.5 (1.17)	215		60	1.00	22.0	39	11.5 (1.17)	60	65	1.00	22.0	39	11.5 (1.17)	65												
220	0.55	23.5	39	11.5 (1.17)	220		70	1.00	22.0	42	12.4 (1.26)	70	80	1.00	22.0	48	14.1 (1.44)	80												
225	0.55	23.5	39	11.5 (1.17)	225	68	90	1.00	22.0	48	14.1 (1.44)	90	10	0.60	3.6	6	1.8 (0.18)	DWR 13-10	86											
230	0.55	23.5	39	11.5 (1.17)	230		15	0.70	4.9	9	2.6 (0.27)	15	20	0.70	4.9	12	3.5 (0.36)	20												
235	0.55	23.5	39	11.5 (1.17)	235		25	0.80	8.4	15	4.4 (0.45)	25	30	0.80	8.4	18	5.3 (0.54)	30												
240	0.55	23.5	39	11.5 (1.17)	240		35	0.80	8.4	21	6.2 (0.63)	35	40	0.90	13.5	24	7.1 (0.72)	40												
245	0.55	23.5	39	11.5 (1.17)	245	68	40	0.90	13.5	27	7.9 (0.81)	40	45	0.90	13.5	27	7.9 (0.81)	45	50	0.90	13.5	30	8.8 (0.90)	50						
250	0.55	23.5	39	11.5 (1.17)	250		55	0.90	13.5	33	9.7 (0.99)	55	60	1.00	22.0	36	10.6 (1.08)	60												
255	0.55	23.5	39	11.5 (1.17)	255		60	1.00	22.0	39	11.5 (1.17)	60	65	1.00	22.0	39	11.5 (1.17)	65												
260	0.55	23.5	39	11.5 (1.17)	260		70	1.00	22.0	42	12.4 (1.26)	70	80	1.00	22.0	48	14.1 (1.44)	80												
265	0.55	23.5	39	11.5 (1.17)	265	68	90	1.00	22.0	48	14.1 (1.44)	90	10	0.60	3.6	6	1.8 (0.18)	DWR 13-10												